



Metal Roof Certification & Listing Program

Certification Report



11027-001-KCI

145 Limekiln Road, Suite 100B
New Cumberland, PA 17070
www.keystonecerts.com

Issue Dated: 9/27/2017
Revision Date: 9/27/2017
Expiration Date: 9/27/2022

Construction Specifications Institute (CSI) Category:

Division: 07 00 00 – Thermal & Moisture Protection

Section: 07 41 13 – Metal Roof Panels

1. Program Licensee:



Mid Florida Metal Roofing Supply, Inc.
28328 County Road 561
Tavares, FL 32778
352-742-7070
<http://www.midfloridametaloofingsupply.com>

2. Certified Roof Covering:

MFMRS Multi-Rib non-structural through-fastened metal roof panels installed over 15/32" B-C 4 plywood sheathing roof deck for use in new construction and re-roofing applications.

3. Scope of Certification:

This Certification Report provides technical data substantiating that the use of the certified roof covering and the evaluated roof systems are in compliance with the following:

- 2017 Florida Building Code - Building, 6th Edition, Section 1504.3.2.
- Florida Product Approval Rule 61G20-3.

Properties Evaluated:

- Wind Uplift Resistance

4. Evaluated Roof System Description:

4.1. **Roof Covering:** MFMRS Multi-Rib metal roof covering panels are cold roll-formed from 29 gauge (0.016" / 0.406mm coated thickness) steel sheet having the minimum yield strength specified in Table 1. The panels are aluminum-zinc alloy coated per ASTM A792 (AZ50), and shall be installed in accordance with the manufacturer's instructions and this Certification Report.

4.2. **Roof Deck:** MFMRS Multi-Rib metal roof panels are certified for use over solid or closely-spaced, minimum 15/32" B-C 4 plywood or lumber sheathing complying with 2017 Florida Building Code, Section 2303.1.5 with or without the use of 1x4 #2 SWP purlins at 24" O.C., with a minimum slope of 25% (3:12).

4.3. **Anchorage:** MFMRS Multi-Rib metal roof panels shall be through-fastened to the roof deck using #10-16 x 1-1/2" hex-head wood screws with EDPM-sealing washer, of the manufacturer & model specified in Table 1, applied in the patterns described in Appendix 1.

4.4. **Underlayment:** MFMRS Multi-Rib metal roof panels shall be installed over underlayment complying with ASTM D226, Type I or Type II, and shall be applied in accordance with 2017 Florida Building Code, Section 1507.4.5, the manufacturer's installation instructions and this Certification Report.



Metal Roof Certification & Listing Program

Certification Report

11027-001-KCI



5. Installation

MFMRs Multi-Rib metal roof panels in new construction applications shall be installed in accordance with the 2017 Florida Building Code Section 1507.4, the manufacturer’s published installation instructions and this Certification Report.

MFMRs Multi-Rib metal roof panels in re-roofing applications shall be installed in accordance with the 2017 Florida Building Code Sections 1507.4 & 1511, the manufacturer’s published installation instructions and this Certification Report.

The manufacturer’s installation instructions shall be made available at the time of installation. If there are differences between this report and the manufacturer’s installation instructions, this report shall take precedence.

6. Product Performance

The performance of the MFMRs Multi-Rib non-structural through-fastened metal roof panels described in this Certification Report has been demonstrated via testing in accordance with the following referenced standards:

- UL 580-94, *Tests for Uplift Resistance of Roof Assemblies.*
- UL 1897-98, *Uplift Tests for Roof Covering Systems.*

As tested & reported by the following independent accredited laboratory:

Laboratory	Report Ref.
Force Engineering & Testing	194-0255T-09A, B 194-0135T -07A thru D

Note: The UL 580-94 standard is equivalent to the UL 580-06 standard, and the UL 1897-98 standard is equivalent to the UL 1897-2012 standard.

7. Wind Resistance

The allowable design uplift pressures for MFMRs Multi-Rib anchored as described in Appendix 1, when tested in accordance with the referenced standards with an applied safety factor of 2.0 are found in Table 1.

Table 1

Description	Anchor Pattern	Anchor Man’f & Model	Max Design Uplift Pressure
29 Ga, 60ksi Steel Over Asphalt Shingles, Over 15/32” Plywood	A	Buildex HiLo Trugrip	71.0 psf
29 Ga, 60ksi Steel Over 1x4 SYP Purlins, Over Asphalt Shingles, Over 15/32” Plywood	A	Buildex HiLo Trugrip	93.5 psf
29 Ga, 80ksi Steel Over 1x4 SYP Purlins, Over 15/32” Plywood	A	Atlas HiLo Woodfast	93.5 psf
29 Ga, 80ksi Steel Over 1x4 SYP Purlins, Over 15/32” Plywood	B	Atlas HiLo Woodfast	116.0 psf
29 Ga, 80ksi Steel Over 15/32” Plywood	A	Atlas HiLo Woodgrip	71.0 psf
29 Ga, 80ksi Steel Over 15/32” Plywood	B	Atlas HiLo Woodgrip	108.5 psf



Metal Roof Certification & Listing Program

Certification Report

11027-001-KCI



8. Conditions of Use

MFMRs Multi-Rib non-structural through-fastened metal roof panels must be insulated against other materials or metals including concrete, lead, copper and treated lumber that contains corrosive materials.

9. Limitations of Use

MFMRs Multi-Rib non-structural through-fastened metal roof panels are not qualified for use in the High Velocity Hurricane Zone (HVHZ).

Fire classification, shear diaphragm design, roof deck design & attachment to supporting members are not within the scope of this Certification Report.

Roof support framing shall comply with 2017 Florida Building Code Chapter 22 for steel, Chapter 23 for wood and Chapter 16 for structural loading.

10. Licensed Manufacturing Facilities

This Certification Report is applicable only to MFMRs Multi-Rib non-structural through-fastened metal roof panels manufactured at the following locations. Each licensed facility is subject to periodic inspection by Keystone Certifications to verify conformance with Keystone Roof Covering Certification & Listing Program requirements:

Mid Florida Metal Roofing Supply, Inc.
28328 County Road 561
Tavares, Florida 32778

11. Identification

MFMRs Multi-Rib non-structural through-fastened metal roof panels represented by this report shall be identified with Keystone Roof Covering Certification & Listing Program certification labeling illustrated below, to be applied to individual panels, packaging, invoicing or bills of lading:




Aaron Shultz
Validations Manager

Appendix 1


Note: In all cases (new construction and re-roofing), the anchors shall fully penetrate the purlins or the plywood roof deck (as applicable).

Anchor Pattern A

Standard Pattern




Panel End Pattern



Anchor Pattern B

Standard And Panel End Pattern





Metal Roof Certification & Listing Program

Certification Report

11027-001-KCI



145 Limekiln Road, Suite 100B
New Cumberland, PA 17070
www.keystonecerts.com

Issue Dated: 9/27/2017
Revision Date: 9/27/2017
Expiration Date: 9/27/2022

Certificate Revisions

Rev #	Date	Description
0	9/27/2017	Initial issuance.