



Metal Roof Certification & Listing Program

Certification Report



11027-003-KCI

145 Limekiln Road, Suite 100B
New Cumberland, PA 17070
www.keystonecerts.com

Issue Dated: 9/29/2017
Revision Date: 9/2/2020
Expiration Date: 9/2/2020

Construction Specifications Institute (CSI) Category:

Division: 07 00 00 – Thermal & Moisture Protection

Section: 07 41 13 – Metal Roof Panels

1. Program Licensee:



Mid Florida Metal Roofing Supply, Inc.

28328 County Road 561

Tavares, FL 32778

352-742-7070

<http://www.midfloridametalroofingsupply.com>

2. Certified Roof Covering:

MFMRs Multi-Rib structural through-fastened metal roof panels installed over 2x4 purlins for use in new construction.

3. Scope of Certification:

This Certification Report provides technical data substantiating that the use of the certified roof covering and the evaluated roof systems are in compliance with the following:

- 2020 Florida Building Code - Building, 7th Edition, Section 1504.3.2.
- Florida Product Approval Rule 61G20-3.

Properties Evaluated:

- Wind Uplift Resistance

This Certification Report was used in the qualification of Florida Product Approval [FL23490-R2](#).

4. Evaluated Roof System Description:

4.1. **Roof Covering:** MFMRs Multi-Rib metal roof covering panels are cold roll-formed from minimum 29 gauge ASTM A792 Grade 80 steel sheet. The panels are aluminum-zinc alloy coated per ASTM A792 (AZ50), and shall be installed in accordance with the manufacturer's instructions and this Certification Report.

4.2. **Roof Deck:** MFMRs Multi-Rib metal roof panels are certified for use over No. 2 nominal 2x4 lumber purlins, maximum 24" O.C., complying with 2020 Florida Building Code - Building, 7th Edition, Section 2303.1.1 and as specified in this report, with a minimum roof slope of 25% (3:12).

4.3. **Anchorage:** MFMRs Multi-Rib metal roof panels shall be through-fastened to the specified purlins using #12-8 x 1" HWH Woodgrip XG screws with 1/2" self-sealing washers applied in the patterns described in Appendix 1.

5. Installation

MFMRs Multi-Rib metal roof panels in new construction applications shall be installed in accordance with the 2020 Florida Building Code - Building, 7th Edition, Section 1507.4, the manufacturer's published installation instructions and this Certification Report.

The manufacturer's installation instructions shall be made available at the time of installation. If there are differences between this report and the manufacturer's installation instructions, this report shall take precedence.



Metal Roof Certification & Listing Program

Certification Report

11027-003-KCI



6. Product Performance

The performance of the MFMRS Multi-Rib structural through-fastened metal roof panels described in this Certification Report has been demonstrated via testing in accordance with the following referenced standards:

- ASTM E1592-01, Standard *Test Method for Structural Performance of Sheet Metal Roof and Siding Systems by Uniform Static Air Pressure Difference*

As tested & reported by the following independent accredited laboratory:

Laboratory	Report Ref.
PRI Construction Materials Technologies	FAE-008-02-01

Note: The ASTM E1592-01 standard is equivalent to the ASTM E1592-05(2012) standard.

7. Wind Resistance

The allowable design uplift pressures for MFMRS Multi-Rib anchored as described in Appendix 1, when tested in accordance with the referenced standards with an applied safety factor of 2.0 are found in Table 1.

Table 1

Description	Max Design Uplift Pressure
29 Ga, Grade 80 Steel Over No. 2 Nominal 2x4 Purlins Maximum 24" O.C.	105.0 psf

8. Conditions of Use

MFMRS Multi-Rib structural through-fastened metal roof panels must be insulated against other materials or metals including concrete, lead, copper and treated lumber that contains corrosive materials.

9. Limitations of Use

MFMRS Multi-Rib non-structural through-fastened metal roof panels are not qualified for use in the High Velocity Hurricane Zone (HVHZ).

Fire classification, shear diaphragm design and purlin attachment to supporting members are not within the scope of this Certification Report.

Roof support framing shall comply with 2020 Florida Building Code - Building, 7th Edition, Chapter 22 for steel, Chapter 23 for wood and Chapter 16 for structural loading.

10. Licensed Manufacturing Facilities

This Certification Report is applicable only to MFMRS Multi-Rib structural through-fastened metal roof panels manufactured at the following locations. Each licensed facility is subject to periodic inspection by Keystone Certifications to verify conformance with Keystone Roof Covering Certification & Listing Program requirements:

Mid Florida Metal Roofing Supply, Inc. 28328 County Road 561 Tavares, Florida 32778



Metal Roof Certification & Listing Program

Certification Report

11027-003-KCI



11. Identification



MFMRs Multi-Rib structural through-fastened metal roof panels represented by this report shall be identified with Keystone Roof Covering Certification & Listing Program certification labeling illustrated below, to be applied to individual panels, packaging, invoicing or bills of lading:



Jon Hill
President

Appendix 1

Anchored to 2x4 Purlins Maximum 24" O.C.





Metal Roof Certification & Listing Program

Certification Report

11027-003-KCI



145 Limekiln Road, Suite 100B
New Cumberland, PA 17070
www.keystonecerts.com

Issue Dated: 9/29/2017
Revision Date: 9/2/2020
Expiration Date: 9/2/2020

Certificate Revisions

Rev #	Date	Description
0	9/29/2017	Initial issuance.
1	01/23/2018	Added Hyperlink FL23490
2	9/19/2018	Revised Appendix 1 Anchorage detail.
3	9/3/2019	Updated the ANSI Logo to proper requirements. Updated FL# to correct revision number.
4	9/2/2020	Updated to 2020 Version of Florida Building Code

Refer to www.keystonecerts.com to ascertain the ongoing status of this Compliance Certificate. Approval of building products and/or materials can only be granted by the building official having jurisdictional legal authority. Keystone Certifications, Inc. does not endorse or make warranties with respect to product performance or suitability of a product for a given use.